

Frames & Accessories



Wheels	232
Rubber Mountings	232
Rubber Feet	232
Battery & Box	232
Hand Grip	232
Wheeled Trolleys	233 - 234
Carry Frames	234

Wheels & Rubber Mountings



Pneumatic Wheel

Part No.
9918-2027

- Pneumatic - steel rim
- 10" OD x 3/4" ID hole



Pneumatic Wheel

Part No.
9918-2028

- Pneumatic - steel rim
- 13" OD x 3/4" ID hole



Rubber Mounting

Part No.
9918-2051

- M8 stud x M8 stud



Wheel Fasteners

Part No.	Internal Ø
9918-2030	25mm
9918-4003	19mm



Rubber Mounting

Part No.
9918-2052

- M10 stud x M10 bolt
- 50mm Ø



Rubber Foot

Part No.
9918-2050

- M10 stud x 45mm foot



Rubber Mounting

Part No.
9918-2055

- M8 stud x M8 F Thread



Rubber Foot

Part No.
9918-2054

- 64mm OD x 8mm bolt hole



Hand Grip

Part No.
9918-2013


- Fits 1" Ø tube



Rubber Foot

Part No.
9918-2057

- 152W x 38H (mm)
- M8 x 40mm bolt & nut



Base Plate

Part No.
9918-2012


- 22L x 14W (inches)



Rubber Foot

Part No.
9918-2053

- M6 stud x 25mm foot



Battery Box

Part No.
9918-4821

Battery box & 12 Volt battery are compatible & for use with our Rapier electric start diesel powered pressure washers.



12 Volt Battery

Part No.
9918-4820

Maintenance free pure lead, sealed dry battery. Can be mounted horizontal or vertical. SAE 680 Amps cold start performance.



Automatic Battery Charger

Part No.
604-1001

- Input = 240 Volt 50Hz
- Output = 12 Volt DC-0.8A/3.6A
- Water resistant for outdoor use

The XS3600 charger is suitable for lead acid batteries from 1.2-120 Ah

Wheeled Trolleys

Wheeled Trolley



Part No.	Overall Dimensions L x W x H (mm)
9918-2000	1110 x 600 x 660

- Fitted with 13" pneumatic tyres
- Rubber mounted base plate

Wheeled Trolley



Part No.	Overall Dimensions L x W x H (mm)
9918-2002	970 x 600 x 920

- Fitted with 13" pneumatic tyres
- Supplied flat packed

Wheeled Trolley



Part No.	Overall Dimensions L x W x H (mm)
9918-2003	770 x 530 x 890

- Fitted with 10" pneumatic tyres
- Supplied flat packed

Wheeled Trolley



Part No.	Overall Dimensions L x W x H (mm)
9918-2001	900 x 590 x 880

- Fitted with 10" pneumatic tyres
- Supplied flat packed

Wheeled Trolley



Part No.	Overall Dimensions L x W x H (mm)
9918-2004	880 x 420 x 460

- Fitted with 10" pneumatic tyres

Stainless Steel Trolley



Part No.	Overall Dimensions L x W x H (mm)
9918-4902	1300 x 700 x 620

- Supplied flat packed
- 12" foam filled tyres
- Mag alloy rim

Carry Frames

Stainless Steel Trolley



Part No.	Overall Dimensions L x W x H (mm)
9918-4901	1000 x 680 x 650

- Fitted with 10" pneumatic tyres
- Supplied flat packed

Stainless Steel Trolley



Part No.	Overall Dimensions L x W x H (mm)
9918-4900	820 x 540 x 490

- Fitted with 10" pneumatic tyres
- Supplied flat packed

Carry Frame



Part No.	Overall Dimensions L x W x H (mm)
9918-2006	640 x 445 x 560

- Roll cage with rubber mounted base

Carry Frame



Part No.	Overall Dimensions L x W x H (mm)
9918-2005	580 x 460 x 480

- Roll cage with rubber mounted base

Carry Frame



Part No.	Overall Dimensions L x W x H (mm)
9918-2008	500 x 340 x 470

- Carry frame with 3 rubber feet

Carry Frame



Part No.	Overall Dimensions L x W x H (mm)
9918-2009	445 x 310 x 445

- Carry frame with four rubber feet