

# Hose, Hose Clips & Sealant



Garden Hose	136
Extra Flex Hose	136
Layflat Hose	136
Kanaflex Hose	136
Reinforced Hose	136
Diesel Transfer Hose	136
Spiral Hose	137
High Pressure Hose	137
Food Grade Hose	137
Stainless Steel Hose Clamps	138
Stainless Steel Hose Clips	138
Zinc Plated Hose Clips	138
Pipe Joint Sealant	138
Teflon Tape	138

# Hose, Hose Clips & Sealant

## Extra Flex PVC - price per coil



Part No.	id
<b>GH1225Y</b>	1/2"
<b>GH1625Y</b>	5/8"
<b>GH1925Y</b>	3/4"
<b>GH2525Y</b>	1"

- Max pressure 10 Bar
- Temp -10°C to + 55°C
- Coil length 25 metres

## Extra Flex PVC - price per mtr



Part No.	id
<b>GH12Y</b>	1/2"
<b>GH16Y</b>	5/8"
<b>GH19Y</b>	3/4"
<b>GH25Y</b>	1"

- Max pressure 10 Bar
- Temp -10°C to + 55°C


## PVC Garden 1/2" - price per coil



Part No.	Coil
<b>LGL1215</b>	15M
<b>LGL1230</b>	30M

- Max pressure 8 Bar

## PVC Layflat - price per mtr



Part No.	id	Bar
<b>P16LFB</b>	1"	5.5
<b>P20LFB</b>	1 1/4"	5.5
<b>P24LFB</b>	1 1/2"	5.5
<b>P32LFB</b>	2"	4.5
<b>P48LFB</b>	3"	3.5

- Temp -25°C to + 60°C

## Clear Reinforced PVC - price per mtr



Part No.	id	Bar
<b>01-06</b>	1/4"	17
<b>01-516</b>	5/16"	14
<b>01-10</b>	3/8"	12
<b>01-12</b>	1/2"	10
<b>01-16</b>	5/8"	8
<b>01-19</b>	3/4"	6
<b>01-25</b>	1"	5.5

- Temp -10°C to +60°C

## Clear PVC - price per mtr



Part No.	id
<b>01-08</b>	8mm
<b>503-1010</b>	1/2"
<b>503-1012</b>	3/4"
<b>503-1014</b>	1 1/2"

- Temp -15°C to +60°C

## Clear Wire Reinforced PVC - price per mtr



Part No.	id	Bar
<b>503-1001</b>	19mm	5
<b>503-1000</b>	25mm	5

- Temp -25°C to +60°C

## Kanaflex - price per mtr



Part No.	id	Bar
<b>12-CD07</b>	3/4"	5.5
<b>12-CD10</b>	1"	5.5
<b>12-CD12</b>	1 1/4"	4.0
<b>12-CD15</b>	1 1/2"	4.0
<b>12-CD20</b>	2"	4.0

- Temp -10°C to + 55°C

## Diesel Delivery - price per mtr



Part No.	id
<b>DDH025</b>	1"

- Max press 7 Bar
- Temp -20°C to +55°C
- U.V. & ozone resistance
- Manufactured in rubber PVC alloy

## Diesel Suction - price per mtr



Part No.	id
<b>DSH025</b>	1"

- Reinforced PVC/Nylon
- Temp -15°C to +65°C
- U.V. & ozone resistance

# Hose, Hose Clips & Sealant

## 10 Mtr - Spiral with Fittings

Part No.

**8000-7204**

- Adjustable nozzle
- Quick release couplings
- Non-return check valve
- 10 Metre x 12 mm Ø



## Food Grade - Non Scuff

Part No.

**503-1020**

- 1/2" Ø x 20 Metre
- Temp 95°C
- Max press 10 Bar
- 1/2" BSPM x 3/4" BSPF connectors
- Connectors attached to hose by QR couplings



## 210 Bar - High Pressure

Part No.

**TUBIN8R**

- Press 210 Bar
- 8 Metre hose
- 1/4" id single wire rubber hose
- 1/4" F x M22 coupling ends



## 110 Bar - High Pressure

Part No.

**TUBIN16**

- Press 110 Bar
- 16 Metre hose
- 1/4" id plastic coated hose
- 1/4" F x M22 coupling ends



## 210 Bar - High Pressure

Part No.

**HP2600**

- Press 210 Bar
- 10 Metre hose
- 3/8" id single wire rubber hose
- 3/8" F x 3/8" M screw ends



## 210 Bar - High Pressure

Part No.

**HP2600K**

- Press 210 Bar
- 10 Metre hose
- 3/8" id single wire rubber hose
- 3/8" M x M22 screw ends



## 210 Bar - High Pressure

Part No.

**HP2600KK**

- Press 210 Bar
- 10 Metre hose
- 3/8" id single wire rubber hose
- M22 x M22 screw ends



## 400 Bar - High Pressure

Part No.

**HP4800**

- Press 400 Bar
- 10 Metre hose
- 3/8" id double wire rubber hose
- 3/8" F x 3/8" M screw ends



## 400 Bar - High Pressure

Part No.

**HP4800K**

- Press 400 Bar
- 10 Metre hose
- 3/8" id double wire rubber hose
- 3/8" M x M22 screw ends



## 400 Bar - High Pressure

Part No.

**HP4800KK**

- Press 400 Bar
- 10 Metre hose
- 3/8" id double wire hose
- M22 x M22 screw ends



# Hose, Hose Clips & Sealant

## Stainless Steel Hose Clamps



Part No.	Adjustment
502-1060	43 - 47 mm
502-1061	47 - 51 mm
502-1063	51 - 55 mm
502-1064	59 - 63 mm
502-1065	63 - 68 mm
502-1066	68 - 73 mm
502-1067	73 - 79 mm
502-1068	85 - 91 mm
502-1069	91 - 97 mm
502-1070	104 - 112 mm

- S/Steel band - zinc plated screws
- Designed for 360° clamping
- High torque applications
- Nylon lock feature

## Stainless Steel Hose Clips



Part No.	Adjustment
502-1020	8 - 16 mm
502-1021	12 - 20 mm
502-1022	16 - 25 mm
502-1023	20 - 32 mm
502-1024	25 - 40 mm
502-1025	32 - 50 mm
502-1026	40 - 60 mm
502-1027	50 - 70 mm
502-1028	60 - 80 mm
502-1029	70 - 90 mm

- 301 S/Steel for the band & housing
- 305 S/Steel for the screw
- Band width is 1/2"

## Zinc Plated Hose Clips



Part No.	Size	Adjustment
502-1000	12	8 - 12 mm
502-1001	16	10 - 16 mm
502-1003	20	12 - 22 mm
502-1004	22	16 - 27 mm
502-1005	30	20 - 32 mm
502-1006	35	25 - 40 mm
502-1007	50	35 - 50 mm
502-1008	55	40 - 60 mm
502-1009	70	50 - 70 mm
502-1010	90	70 - 90 mm

- Zinc plated mild steel worm drive to BS5315

## O Clips - Zinc Plated



Part No.	Size
502-1100	11 - 13mm
502-1101	15 - 18mm
502-1102	23 - 27mm
502-1104	20 - 23mm

- Bright Zinc plated mild Steel

## Teflon Tape



Part No.	Length	Width
1252	13.2 M	12mm

## Pipe Joint Sealant



Part No.	Description
25551	Per 8oz can

- Easy to apply
- Non-hardening - non-toxic
- Non-water absorption
- Brush top applicator